WOOD GAS FOR MOBILE APPLICATIONS

Now available a gasifier manual, which describes the latest innovations in wood gas technology for English speaking wood gas enthusiasts. The book includes detailed drawings of my most recent wood gas powered car and gasifiers. Because gas demand of the cars is different, dimensioning guidelines and complete drawings of smaller gasifiers are included in this edition. The text part gives you an idea of the whole wood gas concept, how it works and how it should be used. Drawings section includes part lists and drawings of all the part needed for gasifier, trailer and modification of the car. Addition to this, drawings of small and medium size gasifiers for smaller cars are included. Book includes total 281 A4 size pages. The drawings have been tested in practice and several wood gas generators have been built according to these plans by me and by others.

Key features of the systems presented in this book are


- Proven construction and process, which is based on experiences of over 100 000 km drive with wood gas powered cars since 1994.
- Easy service and 1000 km service interval.
- Can be manufactured by experienced home mechanic.
- Water separation, which suits for all vehicles.
- All parts have been manufactured and tested in practice.
- This book is written by a devoted genuine specialist, not by a writer only. Book is composed as a hobby with a special interest on both the technology and writing. Book is professional quality work.



Vesa Mikkonen Kirkkokatu 5 44120 ÄÄNEKOSKI, FINLAND Tel. +358 50 5987 382 vesa.mikkonen(at)ekomobiili.fi

BOOK IS CONFIDENTIAL AND DELIVERED FOR PERSONAL USE ONLY AVAILABLE AS AUTHOR'S EDITION

Cover of the book, below the list of contents



LIST OF CONTENTS (January 4th 2008)

INTRODUCTION	1
REQUIREMENTES FOR WOOD GAS POWERED CARS IN FINLAND	2
TECHNICAL REQUIREMENTS AND TAXATION	2
EXHAUST EMISSION NORMS FOR WOOD GAS	3
SAFETY POINTS	4
ASSEMBLY ON VEHICLE EASY SERVICE IS A KEY FEATURE OF THE GASIFIER FIXED ASSEMBLY ONBOARD TRAILER INSTALLATION Driving license requirements Trailer norms and recommendations for construction Assembly of gas generator system on trailer	5 5 6 6 6 11
RECOMMENDATIONS FOR SUITABLE CARS TO BE CONVERTED FOR WOOD GAS FUEL	12
WOOD GAS POWERED CAR IN USE PRELIMINARY PREPARATIONS PREHEATING STARTING OF THE ENGINE DRIVE PARKING AFTER A DRIVE	17 17 17 20 20 22
APPROPRIATE FUELS HEAT VALUE AND CHEMICAL COMPOSITION OF WOOD IMPORTANCE OF THE FUEL CHOPPED WOOD PEAT WOOD CHIPS CHARCOAL CARRYING AND PACKING OF THE FUEL FUEL RESERVES IN FINLAND Efficiency of wood gasifier based on practical experiences Growth and use of wood as raw material and fuel in Finland	23 24 25 26 27 28 28 29 29
THEORETICAL BACKGROUND FOR WOOD GAS-GENERATOR REACTIONS IN GASIFIER BURNING OF GAS AND POWER OUTPUT OF INTERNAL COMBUSTION ENGINE POSSIBILITIES TO IMPROVE THE QUALITY OF THE WOOD GAS	31 31 32 34
ASSEMBLING OF THE WOOD GAS GENERATOR SYSTEM GENERAL GUIDELINES GENERAL TECHNICAL POINTS MATERIAL RECOMMENDATIONS FOR MAIN PARTS OF WOOD GASIFIER SYSTEM The basis for corrosion resistance of stainless steel Welding of stainless steel Appropriate materials for wood gasifier system SURFACE TREATMENT OF GASIFIER PARTS CLEANING OF THE UNIT DURING NORMAL USE ELECTRIZATION	36 36 38 38 39 40 42 43 43
MAIN PARTS OF THE GASIFYER FIRING THE UNIT AND PREHEATING BEFORE DRIVE Start-up blower Igniter THE FUEL BIN Construction and dimensioning of the fuel bin Function of the pre-drying type condensing fuel bin Function of the non-condensing type fuel bin	45 45 46 47 47 49 50

THE FURNACE	51
Dimensioning of the furnace	51 50
Air nozzles The furnace ring	56 59
Cleaning of the grate	60
Heat recovery and preheating of primary air	63
GAS CLEANING SYSTEM	64
Importance of gas cleaning and technical alternatives Cyclone (optional)	64 64
Wash with water using a scrubber type washer (ALTERNATIVE METHOD)	65
Filtering with cake forming fabric	66
Structure and assembly of fabric filter Cleaning of the fabric filter	67 70
Filter materials	70 71
Heat losses and optimal operation temperature of the filter	72
COOLING AND WASHING	73
Secondary filtration (optional)	76
Condensate separation and gas preheating	78
CONTROL OF GAS AND AIR MIXTURE	81
Technical arrangement	81
Control of the air and gas mixture	83
Influence of mixture on efficiency rate of engine PIPING	88 89
SUMMARY OF BASIC DIMENSIONING	90
COMMINANT OF BACIC DIMENCIONING	30
MODIFICATIONS NEEDED FOR ENGINE IN WOOD GAS USE PETROL ENGINES	92 92
Improvement of cylinder filling	92
Ignition timing and removing of ignition disturbances	93
Increasing of the compression ratio	93
Starting-up the engine	94
Preventing sticking of valve stems on wood gas	94
Prevention of engine intake side fouling in wood gas use	96
Cooling of the engine	98
Petrol feed for service and boosting	98
MODIFICATIONS NEEDED FOR DIESEL ENGINE TO MAKE IT RUN ON WOOD GAS	99
SUPERCHARGING OF WOOD GAS ENGINE	100
TUNE UP OF AUTOMATIC TRANSMISSION FOR WOOD GAS DRIVE	102
MONITORING OF THE GAS GENERATING SYSTEM	104
NORMAL APPEARANCE OF IMPURITIES IN GASIFIER SYSTEM	104
PERFORMANCE OF THE ENGINE ON WOOD GAS	104
TEMPERATURE OF THE OUT COMING WOOD GAS INTERNAL AIR LEAK	105 105
APPEARANCE OF TEST FLARE	106
COLOUR OF THE ESCAPING UNFILTERED WOOD GAS	106
SUCTION RESISTANCE OF THE GAS GENERATING SYSTEM	107
MEASURING OF THE CARBON DIOXIDE CONTENT OF THE WOOD GAS	108
PREPARATIONS FOR THE FIRST PREHEAT	109
SERVICE OF THE WOOD GASIFIER SYSTEM	110
REGULAR SERVICE	110
OCCASIONAL SERVICE	110
PREPARATIONS FOR MAJOR SERVICE WORKS	113
WASTES AND WASTE HANDLING	114
ASH	114
CONDENSATES	115
NECESSARY TOOLS AND EQUIPMENTS	116
MANUFACTURING OF THE LIDS AND THEIR SEALS	117
SIMPLE PROCEDURES, HOW TO CONSTRUCT A NEAT WOOD GASIFIER	119

ASSEMBLY AND GENERAL TIPS HOW TO MAKE NEAT HOLES WITH ANGLE GRINDER TANGENTIAL PIPE FITTING ELIMINATION OF WELD DEFORMATIONS PERPENDICULAR PIPE END CUTTING DIVISION OF THE FLANGE HOLE PATTERN A LATHE IS GOOD TOOL FOR MANUFACTURING OF SINGLE PIECE SERIES BOTTOM CALOTTES	119 119 120 120 120 120 120
WOOD GAS A FUEL FOR SMALL SCALE POWER GENERATION MODIFICATION GUIDELINES FOR STATIONARY APPLICATIONS POWER AND WOOD CONSUMPTION EXPECTED POWER OUT PUT OF AN INTERNAL COMBUSTION ENGINE	121 121 121 122
DEVELOPMENT OF THE WOOD GAS GENERAROR SYSTEM INITIAL DIFFICULTIES AND THE FIRST WOOD GAS POWERED CAR DEVELOPMENT OF THE SYSTEM GASIFIER PROJECT AND THE FIRST DIFFICULTIES TO OVERCOME IMPROVEMENTS DONE LATER ON THE NEW GASIFIER DESIGNED 2003 – 2006 BASED ON THE EARLIER EXPERIENCES	123 123 123 123 124 128
PRINCIPLES OF PELLET GASIFICATION GENERAL PROBLEMS WITH PELLET GASIFICATION QUALITY CRITERIA OF THE PELLETS STRUCTURAL MODIFICATIONS REQUIRED FOR THE FURNACE Air injection and combustion zone Grate for pellets Fuel bin design to avoid decomposition of pellets ADVANTAGES AND DISADVANTAGES OF PELLET GASIFIER	130 130 130 130 130 132 133 134
WAR TIME GAS GENERATORS MATERIALS AND CONSTRUCTION CHARCOAL GASIFIERS WOOD GASIFIERS IN WAR TIME	135 135 135 136
FUTURE ASPECTS WOOD GAS AND PETROLEUM BASED FUELS EFFICIENCY OF WOOD GAS COMPARED TO OTHER RENEWABLE ENERGY SOURCES	138 138 139
LITERATURE	142
TECHNICAL DESCRIPTION OF THE WOOD GAS POWERED LINCOLN	143
OPERATING INSTRUCTIONS FIRING THE GASIFIER STARTING OF THE ENGINE DRIVE PAUSE SPECIAL DRIVING TECHNIQUES SPECIAL SWITCHES AND SYSTEMS INSTALLED IN CAR CHANGING TO PETROL OPERATION PETROL BOOSTING CLEANING OF THE GAS FILTER ROUTINE SERVICE SCHEDULE (PEAT BASED FUEL) OTHER SERVICE IMPORTANT SOME PROBLEMS WHICH MAY OCCUR SUITABLE FUELS TOOLS AND CHEMICALS FOR SERVICE	145 145 146 146 146 147 147 147 148 148 149 150
MATERIAL TABLES OF THE PLANNED GASIFIER TYPES DIMENSIONS OF SHELL PLATES AND WEIGHT EDGE RIMS WEIGH COMPARISON BETWEEN VARIOUS SIZES AND TYPES	152 152 153 154
SELECTION KEY TO CHOOSE CORRECT SIZE GASIFIER GENERAL GUIDELINES GASIFIER "LARGE"	155 155 155

GASIFIER "MEDIUM" GASIFIER "SMALL"	155 155
LARGE GAS-GENERATOR FOR 6 - 8 LITRES ENGINES (L) SIDE PROJECTION OF THE MAIN PARTS (L) ASSEMBLY OF THE GAS GENERATOR (L) CONSTRUCTION OF THE FURNACE (L) GAS-GENERATOR, RELATIVE DIRECTIONS OF PARTS (L) LOWER PART OF GASIFYER (L) CONNECTION OF AIR TRANSFER TO FURNACE (L) LOWER PART OF GASIFIER, RELATIVE DIRECTIONS OF PARTS (L) LOWER PART OF THE GASIFIER, GAS OUT LET CONNECTION (L) BOTTOM CALOTTES FOR THE FILTER AND OUTER SHELL OF THE FURNACE (L)	157 157 158 159 160 161 162 163 164 165
FUEL BIN, PRE-DRYING TYPE (L) FUEL BIN BOTTOM CONE (L) FUEL BIN, TOP RIM (L) FUEL BIN LID AND SPRING FASTENER (L) FUEL BIN LID, LOCKING MECHANISM (L)	166 167 168 169 170
FURNACE, SCHEMATIC ASSEMBLY (L) FURNACE, INNER PART (L) GRATE (L) GRATE CLEANING MECHANISM (L)	171 172 173 174
MEDIUM SIZE GAS GENERATOR FOR 3-6 LITRES ENGINES (M) FURNACE (M) GRATE (M) ASSEMBLY OF THE GASIFYER (M) LOWER PART AND OUTER SHELL OF THE FURNACE (M) LOWER PART, CROSS SECTION PROJECTION (M) FUEL BIN AND BOTTOM CONE (M) RIM FOR TOP OF THE FUEL BIN (M)	175 175 176 177 178 179 180 181
SMALL GAS GENERATOR FOR 2-3 LITRES ENGINES (S) FURNACE (S) GRATE (S) ASSEMBLY OF THE GASIFYER (S) LOWER PART AND OUTER SHELL OF THE FURNACE (S) NON-CONDENSING TYPE GASIFIERS FOR DRY WOOD ASSEMBLY DRAWING (S) FUEL BIN TOP RIM FOR NON-CONDENSING TYPE GASIFIER (S)	182 183 184 185 186 186
DRAWINGS OF MOBILE PELLET GAS GENERATOR FOR 2-4 ENGINES PELLET GASIFYER, ASSEMBLY AND MEASURES (P) GRATE (FOR WOOD PELLETS ONLY) GRATE CLEANING MECHANISM (P)	188 188 189 190
GUIDE OF THE GRATE CLEANING MECHANISM (P) SHAFT OF THE GRATE CLEANING MECHANISM (P) AIR TRANSFER PASSAGE (P), SUITABLE ALSO FOR "SMALL" GASIFYER MAIN FLANGES OF THE GASIFYER (P)	191 192 193 194
GAS FILTER RELATIVE DIRECTIONS OF THE PARTS FILTER CASING (L)) FILTER CASING (M) FILTER CASING (S) THERMAL SHIELD TO KEEP FILTER WARM (L, OPTIONAL) FILTER ELEMENT BODY PLATE (M&L) FILTER ELEMENT BODY PLATE (S) FILTER ELEMENT BODY RIM SOWING OF THE FABRIC FILTER SUPPORTS OF THE FILTER ELEMENT GAS COOLER	195 196 197 198 199 200 201 202 203 204 205
GAS COOLER RELATIVE DIRECTIONS OF FEET AND OTHER PARTS (L&M) RADIATOR TUBES (L&M)	205 206

LIQUOR RESERVOIR (L&M) GAS COOLER (S)	207 208
RADIATOR TUBES (S)	209
LIQUOR RESERVOIR (S)	210
MISCALLENEOUS PARTS FOR ALL SIZES AND TYPES	211
ACCESSORIES	211
Fastener for the grate cleaning motor	211
Grate cleaner drive motor and cogwheel connection	212
Tool box, triangular corner box, propane operated igniter	213
Ash box for service and ash removal	214
Start-up fan	215
Impeller of the start-up fan Impeller centre piece for start-up fan	216 217
Petrol operated igniter	217
Gas mixer (Lincoln 400 cid arrangement) and air pulsing valve	219
Mixer and intake manifold flange (Lincoln)	220
Throttle valve shaft (L)	221
Gas and air mixer, (For -80's GM full size passenger cars)	222
SUPPORT FEET	223
Support feet, principle of installation	223
Support feet, cutting (S, M & L)	224
Feet for gas cooler (S, M & L)	225
MACHINED PARTS FOR S, M & L GASIFIERS	226
Air nozzles	226
Ash doors	227
Central pipe muffles	228
Sealing of the filter central pipe (L & M)	229
Sealing of the filter central pipe (S)	230
Gas outlet from the gasifyer (S, M & L)	231
Grate cleaning mechanism. Guide and shaft for small gasifier	232
Guide, shaft and furnace centre flange (L & M) Air transfer passage	233 234
Radiator tubing end flanges	235
Gas inlet pieces to cooler	236
Flame cut rims and flanges for the large gasifyer (L)	238
DIDINO	200
PIPING PART LIST OF PIPING COMPONENTS AND MATERIALS FOR MACHINED PARTS (L)	239 239
PIPE FROM COOLER TO FRONT (L)	240
PIPE FROM GASIFIER TO FILTER (L)	241
PIPE FROM FILTER TO COOLER, CHIMNEY AND CONDENSATE PASSAGE (L)	242
TRAILER FOR M & L SIZE GASIFIERS	243
TRAILER BACK PROJECTIONS (WITH M & L GASIFIERS)	243
TRAILER BODY FRAME FASTENING POINTS ON TRAILER BODY	244 245
GAS FILTER FASTENING POINTS	245
SIDE BEAMS OF THE TRAILER TRIANGULAR HEAD	247
MAIN SIDE BEAM (LEFT)	248
TOW BAR AND BODY REINFORCEMENT ON AXLE	249
REAR TRANSVERSE BEAM	250
TRANSVERSE BEAM IN THE MIDDLE	251
TRIANGULAR SIDE SUPPORT	252
ASSEMBLY OF TRIANGULAR HEAD OF THE TRAILER	253
BACK WALL OF THE TRUNK	254
SIDE SUPPORTS OF THE TRUNK SUPPORTS FOR MAIN VESSELS	255 256
SUPPORTS FOR MAIN VESSELS SUPPORTS FOR THE SHOCK ABSORBERS	256 257
FASTENINGS OF THE SPRINGS AND BUMPER	257
CONNECTION OF THE SPRINGS AND THE AXLE	259
AXLE TO TIRE CONNECTION	260
RIM OF THE TRUNK	262
RIM OF THE TRUNK LID AND HINGES	263
PLYWOOD WALLS, ARRANGEMENT	264
FENDER AND SIDE PANELS	265
BACK BOARD	266

COVER FOR ELECTRICAL CONNECTORS	267
BATTERY BOX AND HOLDER FOR WATER CANISTER	268
WIRING DIAGRAM OF GASIFYER AND TRAILER ELECTRICAL SYSTEMS	269
ALTERNATIVE TECHNICAL SOLUTUTIONS	270
WATER SCRUBBER	270
LIQUID COOLED HEAT EXCHANGER (S, M & L)	271
WET FILTER AS SECONDARY GAS FILTER	272
CYCLONE INTER COOLER AND PARTICLE SEPARATOR	273
WATER SEPARATOR, ALTERNATIVE METHOD	274
GAS MIXER FOR DIESEL GAS DUAL FUEL OPERATION	276
WORKING PRINCIPLE OF WATER SCRUBBER BASED GAS CLEANING SYSTEM	277
APPENDIX	278
HEAT TRANSFER FROM GAS TO METAL SURFACE	278
WATER, VAPOUR PRESSURE	279
NOMENCLATURE OF STAINLESS STEEL GRADES	280
COLLABORATORS AND CONTRIBUTORS	281

Text at back cover of the book

This book is devoted to all those private enthusiasts who are keen on converting their vehicles to run on wood gas. The construction of mobile gas generators is described in a practical way by examining the detailed structure of modern wood gasifiers together with the whole process of using wood gas as a fuel for transportation. Personal experiences gathered during the past 15 years have confirmed wood gas to be a reliable source of energy for daily transportation.

Detailed drawings of the most recently built wood gas powered cars are included in this edition. Since cars differ in size and fuel demand, dimensioning of the most critical parts of a gasifier are presented with complete sets of drawings describing lighter gasifiers suitable for smaller cars. The three gasifiers which are presented cover the whole variety of vehicles beginning from standard European passenger cars up to full size American automobiles.

Convert your own car to run on wood gas and you will be happy on the day when there is no oil.