




JD GreenTech Global, Inc.

LED Flexible Ribbon and Letter

Email info@greentech-global.com

Tel 214 8085895

<http://www.greentech-global.com/>




LED Letter Rope Lights

Model: JD-LEDL1

LED Channel Letter-r LED Letter Rope Lights, Suitable for Advertisements on Buildings, Parks and more.

Key Specifications/Special Features:

- Adopts perfect 12V LED lamp and energy-saving
- Irradiance is even and stable
- Voltage and good heat-resistant
- Can be used for long time (80,000 to 100,000 hours)
- ABC, 0 to 9 styles: 26 letters/set
- Various colors and sizes are available
- Suitable for advertisement in shopping malls, hotels, parks and more.



Water-resistant LED Modules

Model: JD-LEDL2

Waterproof Aluminum Module-02 Water-resistant LED Modules, Available in Various Colors, Suitable for Channel Letters Back Lighting.

- Aluminum base available
- 2-LED version
- With mounting holes for easy mounting
- Low wattage (12V), energy efficient, long lifetime and virtually no maintenance
- Low heat, high brightness, works well under harsh conditions
- Can be normally operated even in cloudy, rainy and snowy weather
- Use LED in big degree view angle to achieve even distribution of light
- Input voltage: 12V DC, professionally designed to be fully water-resistant
- Colors: red, yellow, blue, green, white and RGB
- Applications:
 - Channel letters back lighting
 - Advertisement signs back lighting
 - Advertisement light boxes and billboards back lighting



Model: JD-PVCL2

- PVC-plate (water-resistant)
- It is in 3 LED version, rectangle type
- With mounting holes for easy mounting
- Low wattage (12V), energy efficient, long lifetime, and virtually no maintenance
- Low heat, high brightness, and works well under harsh conditions
- Various colors: red, yellow, blue, green, white, and RGB
- Input voltage: 12V DC, professionally designed to be fully water resistant
- It can be normally operated even in cloudy, rainy, and snowy weather
- Use LED in big degree view angle to achieve even distribution of light

Basic technical data:

- Module thickness: 8mm(3 LED PVC modules)
- Working voltage: 12V DC
- Working current: three-LED version 25 to 30mAh
- LED size: three-LED PVC module 74 x 16.5mm.


LED Light Strip

Model: JD-21C-1 LED Light Strip Modules for Channel Letters & Signs with Working Voltage 12V DC.

Key Specifications/Special Features:

- Product LED Light Strip Modules for Channel Letters & Signs
- Item No: QL-P1W
- Working voltage 12V DC
- Professionally designed to be fully waterproof, IP 65
- 1 piece 1W high power LED
- Beam angle 120 degrees
- Energy efficient, major reduction in power costs
- Long service life 100,000+ hrs (10+ years). White LEDss, 50,000+ hrs, virtually no maintenance during lifetime
- Low heat, high brightness, works well under harsh conditions
- With mounting holes and 3M adhesive tape on the back for convenient mounting
- Full range of colors red, amber, blue, green, white
- Solid-state, high shock vibration resistant





LED Channel Letter

Model: JD-A4W

LED channel letter ---12d LED Channel Letter, LED Light Module with Waterproof Design and 12V DC Voltage

- Working voltage: 12V DC
- Light source: super-bright SMD LEDs
- LED quantity: 4 pieces
- Beam angle: 120°
- Long lifespan: 100,000 hours
- Protection grade: IP67
- Low heat dissipation function
- High brightness and works well under harsh conditions
- With mounting holes and 3m adhesive tape on the back for convenient mounting
- Solid-state, high-shock and vibration-resistant
- Colors: red, amber, blue, green and white




Flux LED

Model: JD-BJ1-126 Series(T) Flux LED, Used for Channel Letters

Key Specifications/Special Features:

- 5mm Flux LED in all colors with water clear lens
- Top bright LED with uniform illumination
- Used for light clusters, channel letters, indoor/outdoor decorations
- Resistance to high current and high voltage




Flat Flux LED

Model: JD-BJ1-114 Series(S) Flat Flux LED, Used for Clusters and Channel Letters

Key Specifications/Special Features:


- Flat flux LED in all colors with water clear lens
- Super bright LED with wide viewing angle and uniform illumination
- Used for light clusters, channel letters, indoor/outdoor decorations
- Resistance to high current and high voltage



Model: JD- LEDS2

Key Specifications/Special Features:

- Module size: 92(L)x18(H)x12(D)/mm
- Waterproof LED modules
- Wide illumination angle design, even color and no light spot
- Operating temperature range from -40 degree to +85 degree
- Low energy consumption, up to 80% in energy savings compared to neon
- Less weight and packaging complexity than neon-reduces shipping cost
- No mercury - safe to use
- Fully adjustable length to accommodate for desired brightness
- Uniform light intensity



LED Module

Model: JD IL-LM-102 LED Module, LED Bar Light, in 1- to 6-LED Versions for Signage Letters Backlight

Features:

- LED module, LED bar light
- Low voltage, energy-saving, virtually no maintenance
- Full range of colors: red, yellow, blue, green and white
- Input voltage: 12V DC, professionally designed to be fully water-resistant
- Unbreakable, professional epoxy sealing and consistent current
- Available in 1-LED, 2-LED, 3-LED, 4-LED, 5-LED and 6-LED versions
- Applications: signage letters backlight, channel letter and emergency exit path lighting



LED Light


Model: JD IL-LM-11

Full color led module-1-1a LED Light with ABS Plastic Housing, Widely Used in Full-color Advertising Letters

- Light sources: Lumileds or Cree LED
- Housing: ABS plastic
- Protection grade: IP68
- Triangle assembly, nice color-mixing effect, super-flux and large viewing angle
- Four wires to connect
- Easy installation
- Jumping and gradual changing light-chasing and rain-bow effects are reliable with RSM controller
- Widely used in full-color advertising letters, indoor or outdoor building outside walls cubic full-color illumination



LED Strip



Model: JD-LT-1761 LED Strip, Suitable for Channel Letter Backlight, Advertisement Sign Backlight and Decoration Light Powerful spotlight

Features:

- LED quantity: 36 pieces
- Beam angle: 120 degrees
- Waterproof: IP65
- Voltage: 12V DC
- Power: 3W




LED Letter and Logo

Model JD-DLA30507 LED Acrylic Letter and Logo, Suitable for Business and Services

Special Features:

- LED channel letter
- RGB channel letter
- LED outdoor advertising logo or letter
- LED sign and log letter
- LED acrylic channel letter
- Red, black, yellow, gold, blue, green and orange colors are available
- 2 color in one letter available
- RGB changeable color available
- Black color day time, white color night time available
- Long life working (more than 60,000 hours)
- High-power LED built-in
- OEM design and customized sizes are available
- Special acrylic rosin material
- Different colors are available
- Suitable for advertisement company to select
- Nice design, fast delivery



LED Display

Model JD-DLA3059 LED Acrylic Letter and Logo, Suitable for Business and Services:

Special Features:

- LED channel letter
- LED outdoor advertising logo or letter
- LED sign and log letter
- LED acrylic channel letter
- Red, black, yellow, gold, blue, green and orange colors are available
- Two-color in one letter available
- RGB changeable color available
- Black color day time and white color night time available
- Long life working: 60,000 hours
- High-power LED (built-in)
- Two years guarantee
- OEM designs and customized sizes are available
- Special acrylic rosin material
- Different colors are available
- Suitable for advertisement
- Nice design and fast delivery



LED Letter and Logo

Model: DLA30508 LED Acrylic Letter and Logo, Suitable for Business and Services

Special Features:

- LED channel letter
- RGB channel letter
- LED outdoor advertising logo or letter
- LED sign and log letter
- LED acrylic channel letter
- Red, black, yellow, gold, blue, green and orange colors are available
- 2 color in one letter available
- RGB changeable color available
- Black color day time, white color night time available
- Long life working (more than 60,000 hours)
- High-power LED built-in
- OEM designs and customized sizes are available
- Special acrylic rosin material
- Different colors are available
- Suitable for advertisement company to select



Rope Light

Model: JD-BV-Flexibility-W-SMD-RGB-silicone Silicon Waterproof LED Light Ribbon with SMD RGB LED for Decoration and Channel Letter

Special Features:

- Water-resistant and its index being IP65
- Wires connection at both ends
- Height: 2.5mm
- Can be used in small areas
- Normal brightness
- Excellent flexible PCB board
- Bend it easily with the angle more than 160 degrees
- Self-adhesive 3M label in back
- Every three LEDs being one unit and you can cut it wherever you like
- Solid-state, vibration-resistant
- Beam angle: 140 degrees
- Back lighting panel
- Edge lighting for a variety of objects
- Cover lighting
- Indirect accent decorative lighting in hotel or saloon
- Indoor reverse channel letter sign
- Can be applied as backlight or sidelight source
- Three types are available:
 - 30 LEDs:

Length: 500mm (12V DC input)

- 300 LEDs:

Length: 5000mm (12V DC input)



Silicone Waterproof LED Flexible Light Ribbon


Model JD-BV1 Flexibility-W-Silicone-RGB Silicone Waterproof LED Flexible Light Ribbon with RGB SMD LEDs for Channel Letter and Decoration


Application:

- Back lighting panel
- Edge lighting for a variety of objects
- Cover lighting
- Indirect accent decorative lighting in hotel or saloon and more
- Indoor reverse channel letter signs
- Do-it-yourself clusters for any lighting project
- Can be applied as backlight or sidelight source

Feature:

- Normal brightness, high reliability, long life and non-flickering LED
- Make use of 3-in-1 SMD LED
- The height is 3mm; can be used in small areas
- Two types are available
- 15 LEDs per strip, with length of 500mm; 24 LEDs per strip, with length of 500mm
- Excellent flexible PCB board
- Bend it easily with the angle of more than 140 degrees
- Self-adhesive 3M label in the back, fix it firmly upon your requirements
- Every three LEDs being one unit and you can cut it wherever you like
- 12V DC input





LED Module

Model: JD-BV-RGB-Piranha 3*3 9 Piranha RGB LED Module, Suitable for Channel Letter Sign

Applications:

- Channel letter sign
- Signal lighting
- Architectural lighting
- Backlight for large advertising sign
- Decorative lighting
- Substitute neon light to achieve color change effect
- Any lighting project

Features:

- 9 Piranha LEDs
- Non-water-resistant
- Used together with our BV-LED200/S3/S9, BV-LED100/M3/M12 or BV-LED2668C controller to realize color changing effect
- 12V DC input, safe and reliable



3-in-1 RGB SMD LED Module


Model: JD-BV-RGB-SMD1 Module 3-in-1 RGB SMD LED Module with Wide Viewing Angle, for Color Changing Channel Letter and Signage

Applications:

- Channel letter sign
- Signal lighting
- Architectural lighting
- Backlight for large advertising sign
- Decorative lighting
- Substitute neon light to achieve color change effect

Features:

- 3 3-in-1 RGB SMD LEDs
- Used together with our BV-LED200/S3/S9, BV-LED100/M3/M12 or BV-LED2668C controller to realize color changing effect
- 12V DC input, safe and reliable



Flexible SMD LED Light Strip/Bar

Model: JD-SC-ID Flexible SMD LED Light Strip/Bar, Ribbon with Self-adhesive 3m Tape Helps Easy Mounting

- Voltage: 12/24V DC
- Beam angle: 120°
- Solid-state LED light
- Assembled with 300 pieces top SMD LEDs
- 5 meters a roll and cuttable every 3 LEDs
- Self-adhesive 3m tape helps easy mounting
- Available in various single colors and RGB
- Completely flexible into any bent angles
- Perfect color mixing or chameleon effect from the RGB version
- Cut parts connectable with solder less connectors
- RGB strip compatible with DMX protocol
- Suitable for indoor decorative light, edge-lit signs and cove light



Waterproof Flexible SMD Light Ribbon

LED Strip/s,LED/s,LED

LED RGB Ribbon LED Strip/s,LED/s,LED, LED Ribbon,LED Rope, LED Linear Strip, LED Flexible Strip,LED Flexible Ribbon

Features:

- Available in full range of color including single color and RGB full color
- flexible led light strip
- The flexible stripe is 12mm wide whereas RGB version is 14.5mm wide
- Viewing angle is 100 to 120 degrees and voltage is 12V DC
- Maintenance free and easy installation
- The light ribbon is total waterproof

Applications:

- Indoor and outdoor decorative light and backlight
- Emergency hallway light
- Auditorium walkway light
- Outdoor illuminated sign and advertisement



Running lights

LED Through-hole Ribbon Led Strip/s, Led/s , Led Light/Lighting, Led Ribbon, Led Rope, Led Linear Strip, Led Flexible Strip

Through-hole Flexible Light Ribbon (side emitting)

Product Features:

- Available in full range of colors including Single Colors and RGB Full Color
- Continuous length flexible led light strips
- The light ribbon can be cut apart every 3-leds interval for design flexibility.
- The light ribbon is rigid, adopt Through-hole LED as light source
- Solid-state, high shock / vibration resistant
- Voltage is 12V DC, 30-LED on 0.5m light strip
- Maintenance free, easy installation
- Long life 100,000+ hrs (10+ years)
- White Leds, 50, 000+ hrs

Application:

- Architectural decorative lighting
- Archway, canopy & bridge edge lighting
- Amusement park, theater & aircraft lighting
- Emergency hallway lighting
- Auditorium walkway lighting
- Stairway accent lighting
- Concealed lighting
- Backlighting for signage letters
- Channel letter lighting
- Cove lighting



Waterproof Neon Flex LED Ribbon

Model: MS-F1206XX51AUS3-12 Waterproof Neon Flex LED Ribbon, Uses High-brightness SMD LEDs as Lighting Sources

- High-brightness SMD LED's as lighting sources
- Waterproof
- Available in various colors
- Bend easily
- Low voltage and energy consumptions
- Long lifetime
- Transportable
- Easy to install

LED Power transformers and cables

