

# Cylindrical Roller Bearings **EW Series**


NSK has developed a higher load-carrying capacity pressed cage with low noise and superior cage strength. Our EW series is a standard cylindrical roller bearing that facilitates interchangeability across the globe, while offering better performance for every application.




Cylindrical Roller Bearing

# EW Series

A newly developed standard bearing



## Design concept of our newly developed standard bearing—the EW series



NSK has been supplying a standard cage for smaller-sized, single row cylindrical roller bearings as indicated here:


Standard bearings——W type (Pressed steel cage with flaps)

High load-carrying E type——ET type (Polyamide resin cage)

In the 21st century, you can now take advantage of NSK's newly developed cylindrical roller bearing, the EW series, which combines the strengths and technologies of previous cages into a one-piece steel cage.


NSK has achieved a new design involving even newer concepts, while maintaining excellence in function and service life. Our EW series can meet your high load-carrying capacity needs for the new era.

## EW Series Bearing Interchange Guide




## Results of FEM analysis

### EW Series




### Conventional W Series




Tests confirm that the stress levels of NSK's EW series cages are 40% lower than that of cages in conventional W series.

## Cage strength test results




NSK's EW series showed greater cage strength performance than that of our major competitors.

## Noise measurement test results




The EW series is 3 to 7 dB quieter than that of our major competitors.

## Higher Limiting Speed








The limiting speed of the EW series is 10-25% higher than that of conventional W series.

## Higher Load Rating



The load rating of the EW series is 10-60% higher than that of conventional W series.

# EW Series Bearing Table



EW series 305-311 and 205-213 of NU, NJ, NUP.

d	Boundary Dimensions (mm)					Basic Load Ratings				Limiting Speeds		Bearing Numbers			Abutment and Fillet Dimensions (mm)						Permissible Axial Movement (mm)		
	D	B	r min	r <sub>1</sub> min	F <sub>w</sub>	C <sub>r</sub> [N]	C <sub>or</sub>	C <sub>r</sub> [kgf]	C <sub>or</sub>	Grease [min <sup>-1</sup> ]	Oil	NU	NJ	NUP	d <sub>a</sub> min	d <sub>b</sub> min	d <sub>b</sub> max	d <sub>c</sub> min	d <sub>d</sub> min	D <sub>a</sub> max		r <sub>a</sub> max	r <sub>b</sub> max
25	52	15	1	0.6	31.5	29 300	27 700	2 990	2 830	12 000	14 000	NU205EW	NJ	NUP	30	29	30	34	37	47	1	0.6	1.2
	62	17	1.1	1.1	34	41 500	37 500	4 250	3 800	10 000	12 000	NU305EW	NJ	NUP	31.5	31.5	32	37	40	55.5	1	1	1.2
30	62	16	1	0.6	37.5	39 000	37 500	4 000	3 800	9 500	12 000	NU206EW	NJ	NUP	35	34	36	40	44	57	1	0.6	1.2
	72	19	1.1	1.1	40.5	53 000	50 000	5 400	5 100	8 500	10 000	NU306EW	NJ	NUP	36.5	36.5	39	44	48	65.5	1	1	1.2
35	72	17	1.1	0.6	44	50 500	50 000	5 150	5 100	8 500	10 000	NU207EW	NJ	NUP	41.5	39	42	46	50	65.5	1	0.6	1.2
	80	21	1.5	1.1	46.2	66 500	65 500	6 800	6 650	7 500	9 500	NU307EW	NJ	NUP	43	41.5	44	48	53	72	1.5	1	1.2
40	80	18	1.1	1.1	49.5	55 500	55 500	5 700	5 650	7 500	9 000	NU208EW	NJ	NUP	46.5	46.5	48	52	56	73.5	1	1	1.2
	90	23	1.5	1.5	52	83 000	81 500	8 500	8 300	6 700	8 000	NU308EW	NJ	NUP	48	48	50	55	60	82	1.5	1.5	1.2
45	85	19	1.1	1.1	54.5	63 000	66 500	6 450	6 800	6 700	8 000	NU209EW	NJ	NUP	51.5	51.5	52	57	61	78.5	1	1	1.2
	100	25	1.5	1.5	58.5	97 500	98 500	9 950	10 000	6 000	7 500	NU309EW	NJ	NUP	53	53	56	60	66	92	1.5	1.5	1.4
50	90	20	1.1	1.1	59.5	69 000	76 500	7 050	7 800	6 300	7 500	NU210EW	NJ	NUP	56.5	56.5	57	62	67	83.5	1	1	1.7
	110	27	2	2	65	110 000	113 000	11 200	11 500	5 000	6 000	NU310EW	NJ	NUP	59	59	63	67	73	101	2	2	1.4
55	100	21	1.5	1.1	66	86 500	98 500	8 800	10 100	5 600	7 100	NU211EW	NJ	NUP	63	61.5	64	68	73	92	1.5	1	1.2
	120	29	2	2	70.5	137 000	143 000	14 000	14 600	4 500	5 600	NU311EW	NJ	NUP	64	64	68	72	80	111	2	2	1.4
60	110	22	1.5	1.5	72	97 500	107 000	9 950	10 900	5 300	6 300	NU212EW	NJ	NUP	68	68	70	75	80	102	1.5	1.5	1.2
65	120	23	1.5	1.5	78.5	108 000	119 000	11 000	12 100	4 800	5 600	NU213EW	NJ	NUP	73	73	76	81	87	112	1.5	1.5	1.4

## Worldwide Sales Offices

<b>NSK LTD.-HEADQUARTERS, TOKYO, JAPAN</b> INDUSTRIAL MACHINERY BEARINGS DIVISION-HEADQUARTERS AFTERMARKET BUSINESS DIVISION-HEADQUARTERS AUTOMOTIVE BUSINESS DIVISION-HEADQUARTERS PRECISION MACHINERY & PARTS DIVISION-HEADQUARTERS	<a href="http://www.nsk.com">www.nsk.com</a> tel: 03-3779-7227 tel: 03-3779-8893 tel: 03-3779-7189 tel: 03-3779-7163	<b>PT. NSK INDONESIA</b> Jakarta <b>Korea:</b> <b>NSK KOREA CO., LTD.</b> Seoul Changwon Plant	<a href="http://www.id.nsk.com">www.id.nsk.com</a> tel: 021-252-3458  <a href="http://www.kr.nsk.com">www.kr.nsk.com</a> tel: 02-3287-0300 tel: 055-287-6001	<b>Netherlands:</b> <b>NSK EUROPEAN DISTRIBUTION CENTRE B.V.</b> Tilburg <b>Poland:</b> <b>NSK EUROPE LTD. WARSAW LIAISON OFFICE</b> Warsaw <b>NSK BEARINGS POLSKA S.A.</b> Kielce Plant <b>NSK EUROPEAN TECHNOLOGY CENTER, POLAND OFFICE</b> Kielce <b>NSK STEERING SYSTEMS EUROPE (POLSKA) SP. ZO.O.</b> Walbrzych	tel: 013-4647647 tel: 022-645-1525 tel: 041-366-5001 tel: 041-366-5812 tel: 074-664-4101
<b>Africa</b> <b>South Africa:</b> <b>NSK SOUTH AFRICA (PTY) LTD.</b> Johannesburg	tel: 011-458-3600	<b>Malaysia:</b> <b>NSK BEARINGS (MALAYSIA) SDN BHD</b> Shah Alam <b>NSK MICRO PRECISION (M) SDN. BHD.</b> Malaysia Plant	<a href="http://www.my.nsk.com">www.my.nsk.com</a> tel: 03-7803-8859 <a href="http://www.my.nsk.com">www.my.nsk.com</a> tel: 03-8961-3960	<b>Spain:</b> <b>NSK SPAIN S.A.</b> Barcelona <b>Turkey:</b> <b>NSK RÜMLANLARI ORTA DOGU TIC. LTD. STI.</b> Istanbul	tel: 093-433-5775 tel: 0216-355-0398
<b>Asia and Oceania</b> <b>Australia:</b> <b>NSK AUSTRALIA PTY. LTD.</b> Melbourne	<a href="http://www.au.nsk.com">www.au.nsk.com</a> tel: 03-9764-8302	<b>New Zealand:</b> <b>NSK NEW ZEALAND LTD.</b> Auckland <b>Philippines:</b> <b>NSK REPRESENTATIVE OFFICE</b> Manila	<a href="http://www.nsk-rhp.co.nz">www.nsk-rhp.co.nz</a> tel: 09-276-4992 tel: 02-759-6246	<b>United Kingdom:</b> <b>NSK BEARINGS EUROPE LTD.</b> Peterlee Plant <b>NSK EUROPEAN TECHNOLOGY CENTRE</b> Newark <b>NSK UK Ltd.</b> Newark <b>NSK PRECISION UK LTD.</b> Newark <b>NSK STEERING SYSTEMS EUROPE LTD.</b> Maidenhead	tel: 0191-586-6111 tel: 01636-605-123 tel: 01636-605-123 tel: 01636-605-123 tel: 01628-509-800
<b>China:</b> <b>NSK HONG KONG LTD.</b> Hong Kong Shenzhen <b>KUNSHAN NSK CO., LTD.</b> Kunshan Plant <b>CHANGSHU NSK NEEDLE BEARING CO., LTD.</b> Jiangsu Plant <b>NSK STEERING SYSTEMS DONGGUAN CO., LTD.</b> Dongguan Plant <b>ZHANGJIAGANG NSK PRECISION MACHINERY CO., LTD.</b> Jiangsu Plant <b>SUZHOU NSK BEARINGS CO., LTD.</b> Jiangsu Plant <b>NSK CHINA TECHNOLOGY CENTER</b> Jiangsu	tel: 2739-9933 tel: 0755-25904886 tel: 0512-5771-5654 tel: 0512-5230-1111 tel: 0769-2262-0960 tel: 0512-5867-6496 tel: 0512-6665-5666 tel: 0512-5771-5654	<b>Singapore:</b> <b>NSK INTERNATIONAL (SINGAPORE) PTE LTD.</b> Singapore <b>NSK SINGAPORE (PRIVATE) LTD.</b> Singapore <b>Taiwan:</b> <b>TAIWAN NSK PRECISION CO., LTD.</b> Taipei <b>TAIWAN NSK TECHNOLOGY CO., LTD.</b> Taipei <b>Thailand:</b> <b>NSK BEARINGS (THAILAND) CO., LTD.</b> Bangkok <b>NSK BEARINGS MANUFACTURING (THAILAND) CO., LTD.</b> Chonburi <b>SIAM NSK STEERING SYSTEMS CO., LTD.</b> Chachoengsao <b>NSK ASIA PACIFIC TECHNOLOGY CENTER (THAILAND) CO., LTD.</b> Chonburi <b>Vietnam:</b> <b>NSK VIETNAM CO., LTD.</b> Hanoi	<a href="http://www.nsk-singapore.com.sg">www.nsk-singapore.com.sg</a> tel: 6496-8000 tel: 6496-8000 tel: 02-2509-3305 tel: 02-2509-3305 tel: 02641-2150 tel: 038-454-010 tel: 038-522-343 tel: 038-454-631 tel: 04-955-0159	<b>North and South America</b> <b>NSK AMERICAS, INC. (AMERICAN HEADQUARTERS)</b> Ann Arbor <b>Argentina:</b> <b>NSK ARGENTINA SRL</b> Buenos Aires <b>Brazil:</b> <b>NSK BRASIL LTDA.</b> São Paulo <b>Canada:</b> <b>NSK CANADA INC.</b> Toronto <b>Mexico:</b> <b>NSK RODAMIENTOS MEXICANA, S.A. DE C.V.</b> Mexico City <b>United States of America:</b> <b>NSK CORPORATION</b> Ann Arbor <b>NSK AMERICAN TECHNOLOGY CENTER</b> Ann Arbor <b>NSK PRECISION AMERICA, INC.</b> Franklin <b>NSK STEERING SYSTEMS AMERICA, INC.</b> Bennington <b>NSK LATIN AMERICA, INC.</b> Miami	tel: 0191-586-6111 tel: 01636-605-123 tel: 01636-605-123 tel: 01636-605-123 tel: 01628-509-800 tel: 734-913-7500 tel: 11-4704-5100 tel: 011-3269-4786 tel: 905-890-0740 tel: 55-5390-4312 tel: 734-913-7500 tel: 734-913-7500 tel: 317-738-5000 tel: 802-442-5448 tel: 305-477-0605
<b>India:</b> <b>RANE NSK STEERING SYSTEMS LTD.</b> Chennai <b>NSK LTD. INDIA BLANCH OFFICE</b> Chennai Delhi Kolkata Mumbai <b>NSK-ABC BEARINGS LTD.</b> Chennai	tel: 021-6235-0198 tel: 010-6590-8161 tel: 028-8661-4200 tel: 021-6235-0198 tel: 0431-8898-8682 tel: 021-6235-0198 tel: 021-3365-5757 tel: 0571-2280-1288 tel: 044-274-66002 tel: 044-2446-6862 tel: 0124-4104-530 tel: 033-4001-2062 tel: 022-2838-7787 tel: 044-2466-6862	<b>Europe</b> <b>NSK EUROPE LTD. (EUROPEAN HEADQUARTERS)</b> Maidenhead <b>France:</b> <b>NSK FRANCE S.A.S</b> Paris <b>Germany:</b> <b>NSK DEUTSCHLAND GMBH</b> Düsseldorf <b>NSK PRECISION EUROPE GMBH</b> Düsseldorf <b>NEUWEG FERTIGUNG GMBH</b> Munderkingen Plant <b>Italy:</b> <b>NSK ITALIA S.P.A.</b> Milano <b>INDUSTRIA CUSCINETTI S.P.A.</b> Torino Plant	<a href="http://www.eu.nsk.com">www.eu.nsk.com</a> tel: 01628-509-800 tel: 01-30-57-39-39 tel: 02102-4810 tel: 02102-4810 tel: 07393-540 tel: 0299-5191 tel: 011-982-4811		

NSK Ltd. has a basic policy not to export any products or technology designated as controlled items by export-related laws. When exporting the products in this brochure, the laws of the exporting country must be observed. Specifications are subject to change without notice and without any obligation on the part of the manufacturer. Every care has been taken to ensure the accuracy of the data contained in this brochure, but no liability can be accepted for any loss or damage suffered through errors or omissions. We will gratefully acknowledge any additions or corrections.

For more information about NSK products, please contact: \_\_\_\_\_



Printed on 100% recycled paper.